

HTML Special Characters

HTML codes and ISO Latin codes can be placed in HTML code like any other characters to produce special characters and symbols that cannot be generated in HTML with simpler keyboard commands. They are case-sensitive.

Character	HTML code	ISO Latin code	Description
—	–	–	en dash
—	—	—	em dash
¡	¡	¡	inverted exclamation mark
¿	¿	¿	inverted question mark
"	"	"	typewriter double quotation mark
“	“	“	left double quote
”	”	”	right double quote
’		'	apostrophe (single typewriter quote)
‘	‘	‘	left single quote
’	’	’	right single quote (typographic apos.)
«	«	«	left guillemets
»	»	»	right guillemets
	 	 	non-breaking space
&	&	&	ampersand
¢	¢	¢	cent
©	©	©	copyright
÷	÷	÷	division symbol
>	>	>	greater than
<	<	<	less than
μ	µ	µ	micron
·	·	·	centered dot
¶	¶	¶	pilcrow
±	±	±	plus or minus
€	€	€	Euro
£	£	£	Pound Sterling
®	®	®	registered
§	§	§	section
™	™	™	trademark
¥	¥	¥	Yen
°	°	°	degree

Accents and accented characters

Character	HTML code	ISO Latin code	Description
á	´	á	lower-case a with acute accent
Á	Á	Á	upper-case A with acute accent
à	à	à	lower-case a with grave accent
À	À	À	upper-case A with grave accent
â	â	â	lower-case a with circumflex
Â	Â	Â	upper-case A with circumflex
å	å	å	lower-case a with ring
Å	Å	Å	upper-case A with ring
ã	ã	ã	lower-case a with tilde
Ã	Ã	Ã	upper-case A with tilde
ä	ä	ä	lower-case a with diaeresis
Ä	Ä	Ä	upper-case A with diaeresis
æ	æ	æ	lower-case æ ligature
Æ	Æ	Æ	upper-case Æ ligature
ç	ç	ç	lower-case ç (c-cedilla)
Ç	Ç	Ç	upper-case Ç (C-cedilla)
é	é	é	lower-case e with acute accent
É	É	É	upper-case E with acute accent
è	è	è	lower-case e with grave accent
È	È	È	upper-case E with grave accent
ê	ê	ê	lower-case e with circumflex
Ê	Ê	Ê	upper-case E with circumflex
ë	ë	ë	lower-case e with diaeresis
Ë	Ë	Ë	upper-case E with diaeresis
í	í	í	lower-case i with acute accent
Í	Í	Í	upper-case I with acute accent
ì	ì	ì	lower-case i with grave accent
Ì	Ì	Ì	upper-case I with grave accent
î	î	î	lower-case i with circumflex
Î	Î	Î	upper-case I with circumflex
ï	ï	ï	lower-case i with diaeresis
Ï	Ï	Ï	upper-case I with diaeresis
ñ	ñ	ñ	lower-case ñ (n- tilde)
Ñ	Ñ	Ñ	upper-case Ñ (N- tilde)

ó	ó	ó	lower-case o with acute accent
Ó	Ó	Ó	upper-case O with acute accent
ò	ò	ò	lower-case o with grave accent
Ò	Ò	Ò	upper-case O with grave accent
ô	ô	ô	lower-case o with circumflex
Ô	Ô	Ô	upper-case O with circumflex
ø	ø	ø	lower-case o with slash
Ø	Ø	Ø	upper-case O with slash
õ	õ	õ	lower-case o with tilde
Õ	Õ	Õ	upper-case O with tilde
ö	ö	ö	lower-case o with diaeresis
Ö	Ö	Ö	upper-case O with diaeresis
ú	ú	ú	lower-case u with acute accent
Ú	Ú	Ú	upper-case U with acute accent
ù	ù	ù	lower-case u with grave accent
Ù	Ù	Ù	upper-case U with grave accent
û	û	û	lower-case u with circumflex
Û	Û	Û	upper-case U with circumflex
ü	ü	ü	lower-case u with diaeresis
Ü	Ü	Ü	upper-case U with diaeresis
ÿ	ÿ	ÿ	lower-case y with diaeresis
ß	ß	ß	ess-tsett (German double-s)
'		´	acute accent with no letter
`		`	grave accent with no letter

Notes:

The centered dot · can be used as a bullet when needed.

The non-breaking space () can be used to prevent the separation of words by line breaks, but will also to force a space equal in size to a space or to hold space in an empty cell of a table.

Some people use the accents ´ and ` as single quote marks. Don't do this!

Brian P. Lawler
 Author, The Blognoscicator
 blognoscicator.net